



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : WATER DISTILLED**

**CAS No : 7732- 18- 5**  
**Mol. Formula : H<sub>2</sub>O**  
**Mol. WT : 18**  
**Date of analysis : 20/02/19**

**Product code : 32229**  
**Batch No : MCM-3018**  
**Mfd. : Feb. 2019**  
**Exp. : Jan. 2021**

S. R	Test	Specification	Observation
1	<b>Description</b>	Clear colourless liquid	Clear colourless liquid
2	<b>pH</b>	5.5 – 7.5	6.89
3	<b>Density</b>	About 1.000	1.000
4	<b>Chloride (Cl)</b>	0.0001% max.	< 0.0001%
5	<b>Substance reducing KMnO<sub>4</sub></b>	0.00004% max.	< 0.00004%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**