



CERTIFICATE OF ANALYSIS

Date: 18/07/13

PRODUCT NAME : DICHLOROMETHANE FOR HPLC

CAS No : 75-09-2

Mol. Formula : CH_2Cl_2

Mol. WT : 84.93

Product code : 41090

Batch No : MCR-6914

Mfd. : July 2013

S. R	Test	Specification	Observation
1	Assay (GC)	99.8 % min.	99.95%
2	Water	0.03% max.	0.02 %
3	Non Volatile Matter	0.0005% max.	0.0003%
4	Acidity (HCl)	0.005% max	<0.005%
5	Transmission(in 1 cm cell vs H ₂ O)		
	wavelength	Min transmission	Observation
	235nm	10%	47.63%
	240nm	50%	80.78%
	245nm	80%	94.50%
	248nm	90%	97.70%
	255nm	98%	100.34%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503