



CERTIFICATE OF ANALYSIS

Date: 27/08/13

PRODUCT NAME : SODIUM HYPOCHLORITE SOLUTION

CAS No : 7681-52-9
Mol. Formula : NaClO
Mol. WT : 74.4

Product code : 32190
Batch No : MCR-7083
Mfd. : Aug. 2013

S. R	Test	Specification	Observation
1	Available chlorine	Approximately 4-6%	9.03%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

Note : This solution is highly unstable & tends to decrease its strength during storage or transport ,so it is advisable to keep the strength ie Available chlorine high which is the best interest of the customer who can adequately dilute the solution as per his requirement.

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503