



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : PHLOROGLUCINOL AR**

CAS No : 108- 73- 6                      Product code : 53600  
Mol. Formula : C<sub>6</sub>H<sub>6</sub>O<sub>3</sub>                      Batch No : MCR-18842  
Mol. WT : 126.11                      Mfd. : June 2019  
Date of analysis : 13/06/19                      Exp. : May 2024

S. R	Test	Specification	Observation
1	Description	White to almost white or yellowish white or cream or beige colour powder.	Cream colour powder.
2	Assay ( Dried basis)	99 % w/w min	99.56% w/w
3	Melting Point	215-220°C	215.6°C
4	Diresorcine	passes test	passes test
5	Sulphated ash	0.1% max	0.08%
6	Loss on drying	1.0% max	0.6%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503