



CERTIFICATE OF ANALYSIS

PRODUCT NAME : MALTODEXTRINE

CAS No : 9050-36-6

Date of analysis : 22/08/19

Mfd. : Aug. 2019

Product code : 15570

Batch No : MCR-19373

Exp. : July 2024

S. R	Test	Specification	Observation
1	Description	White powder	White powder
2	Dextrine equivalent	20 max	19.80
3	pH (20% in water)	4 - 7	6.69
4	Loss on drying (105 ⁰ C for 2 hrs)	6 % max	5.1 %
5	Residue on ignition	0.5% max	0.30%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503