



## **CERTIFICATE OF ANALYSIS**

**PRODUCT NAME : BROMOPHENOL BLUE INDICATOR AR**

|                         |                                                                   |                     |                     |
|-------------------------|-------------------------------------------------------------------|---------------------|---------------------|
| <b>CAS No</b>           | <b>: 115 – 39-9</b>                                               | <b>Product code</b> | <b>: 31360</b>      |
| <b>Mol. Formula</b>     | <b>: C<sub>19</sub>H<sub>10</sub>Br<sub>4</sub>O<sub>5</sub>S</b> | <b>Batch No</b>     | <b>: MCR-19904</b>  |
| <b>Mol. WT</b>          | <b>: 669.99</b>                                                   | <b>Mfd.</b>         | <b>: Oct. 2019</b>  |
| <b>Date of analysis</b> | <b>: 25/10/19</b>                                                 | <b>Exp.</b>         | <b>: Sept. 2024</b> |

| S. R | Test                                                                                          | Specification                                               | Observation         |
|------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------|
| 1    | Decsription                                                                                   | Pink to pale orange or pink orange or red to purple powder. | Pink orange powder. |
| 2    | Transition interval from pH 2.8 – 4.6                                                         | yellow to violet                                            | yellow to violet    |
| 3    | Specific Absorptivity 1% / 1 cm $\lambda_{\text{max}}$ at about 434 - 439 nm in buffer pH 3.0 | 330 - 380                                                   | 345.85              |
| 4    | Specific Absorptivity 1% / 1 cm $\lambda_{\text{max}}$ at about 590 - 593 nm in buffer pH 4.6 | 776 – 1000                                                  | 1000                |
| 5    | Loss on drying at 105 <sup>0</sup> C                                                          | 1% max                                                      | 0.45%               |

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**