



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : MOLYCLEAN MA 02 NEUTRAL**

**Date of analysis : 05/12/19**  
**Mfd. : Dec. 2019**  
**Exp. : Nov. 2024**

**Product code : 16383**  
**Batch No : MCR-20258**

<b>S. R</b>	<b>Test</b>	<b>Specification</b>	<b>Observation</b>
1	<b>Description</b>	A clear colourless to pale yellow or opale solution	A clear colourless opale solution
2	<b>pH of 5%w/v aq.solution</b>	6 - 8	7.88
3	<b>Wt. per ml at 20<sup>0</sup>C</b>	1.057 - 1.07 g	1.07g
4	<b>Foaming volume (5%w/v water)</b>	min 80 ml	> 80 ml

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**