



CERTIFICATE OF ANALYSIS

PRODUCT NAME : DICHLOROMETHANE 99.9% GC GRADE
(Methylene Chloride)

CAS No : 75-09-2
Mol. Formula : CH_2Cl_2
Mol. WT : 84.93
Date of analysis : 20/01/20

Product code : 22951
Batch No : MCR-20607
Mfd. : Jan. 2020
Exp. : Dec. 2024

S. R	Test	Specification	Observation
1	Description	A clear, colourless liquid, with characteristic odor, APHA not greater than 10 HU	A clear, colourless liquid, with characteristic odor, APHA less than 10 HU
2	Assay (GC)	99.9 % min.	99.93%
3	Wt. per ml (at 20⁰c)	1.323-1.325 g	1.324 g
4	Refractive index (n²⁰_D)	1.424-1.425	1.424
5	Water	0.02% max.	0.017%
6	Non Volatile Matter	0.0005% max.	0.0003%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503