



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : TRYPSIN U/G 2000**

**CAS No : 9002-07-7**

**Date of analysis : 05/02/20**

**Mfd. : Feb. 2020**

**Product code : 19640**

**Batch No : MCR-20785**

**Exp. : Jan. 2025**

S. R	Test	Specification	Observation
1	Description	White powder	White powder
2	Solubility in water	min 98.0%	> 98.0%
3	Loss on drying	max 5.0%	4.21%
4	Pathogenic germs	Absent	Absent
5	Salmonella	Absent	Absent
6	Escherichia	Absent	Absent
7	Pseudomonas aeruginosa	Absent	Absent
8	Staphylococcus aureus	Absent	Absent

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**