



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : CALCIUM OXIDE LR (POWDER)**

**CAS No : 1305 -78-8**  
**Mol. Formula : CaO**  
**Mol. WT : 56.08**  
**Date of Analysis : 13/02/20**

**Product code : 13280**  
**Batch No : MCR-20845**  
**Mfd. : Feb. 2020**  
**Exp. : Jan. 2025**

S. R	Test	Specification	Observation
1	Description	White to almost white powder.	Almost white powder.
2	Assay	90% min	97.62%
3	Chloride (Cl)	0.02% max	<0.02%
4	Loss on ignition (800 <sup>0</sup> C)	10% max	4.8%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**