



CERTIFICATE OF ANALYSIS

Date: 13/02/14

PRODUCT NAME : DICHLOROMETHANE GR

CAS No : 75-09-2

Product code : 22950

Mol. Formula : CH_2Cl_2

Batch No : MCRT-7807

Mol. WT : 84.93

Mfd. : Feb. 2014

S. R	Test	Specification	Observation
1	Assay (GC)	99.5 % min	99.95 %
2	Wt. per ml (at 20°C)	1.323-1.325 g	1.323 g
3	Refractive index (n) ²⁰ _D	1.424-1.425	1.424
4	Water (by KF)	0.05 % max	0.0053 %
5	Acidity (HCl)	0.001 % max	< 0.001 %
6	Non Volatile Matter	0.001% max	0.0009 %
7	Free chlorine (Cl)	0.0001 % max	< 0.0001 %
8	Formaldehyde (H.CHO)	0.0001 % max	< 0.0001 %
9	Copper (Cu)	0.0001 % max	< 0.0001 %
10	Iron (Fe)	0.0001 % max	< 0.0001 %
11	Lead (Pb)	0.0001 % max	< 0.0001 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503