



CERTIFICATE OF ANALYSIS

Date: 13/01/14

PRODUCT NAME: GELATIN POWDER FOR BACTERIOLOGY

CAS No : 9000- 70- 8
Mfd. : Jan. 2014

Product code : 14610
Batch No : MCR-7634

S.R	Test	Specification	Observation
1	pH of 6.7% aqueous solution	5.3 – 5.9	5.58
2	Jelly strength	Passes test	Passes test
3	Bulk density	0.6 – 0.7 g/ml	0.67 g/ml
4	Loss on drying at 105°C	16% max	9.54%
5	Ash	3.3% max	2.5%
6	Lead (Pb)	0.005% max	< 0.005%
7	Sulphur dioxide	0.15% max	< 0.15%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503