



CERTIFICATE OF ANALYSIS

Date: 03/03/14

PRODUCT NAME : THIOUREA PURIFIED

CAS No : 62- 56- 6
Mol. Formula : $\text{NH}_2\cdot\text{CS}\cdot\text{NH}_2$
Mol. WT : 76.12

Product code : 19500
Batch No : MCR-7882
Mfd . : March 2014

S. R	Test	Specification	Observation
1	Assay	99% w/w min	99.45% w/w
2	Sulphated ash	0.1% max	0.06%
3	Melting point (with decomposition)	174-177°C	175.9°C
4	Loss on drying at 105 ⁰ C	0.5% max	0.13%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503