



CERTIFICATE OF ANALYSIS

Date: 17/02/14

PRODUCT NAME : FLUORESCEIN

CAS No : 2321-07-5
Mol. Formula : $C_{20}H_{12}O_5$
Mol. WT : 332.31

Product code : 31730
Batch No : MCR-7809
Mfd. : Feb .2014

S.R	Test	Specification	Observation
1	Assay(on dried substance)	98% min	98.41%
2	Loss on drying (105°C)	1.0% max	0.08%
3	Absorptivity, 1%/1cm at λ max 490 nm (in 0.1 N NaOH)	2200 - 2500	2490.57

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503