



CERTIFICATE OF ANALYSIS

PRODUCT NAME : DIASTASE(FUNGAL)

CAS No : 9000- 92- 4

Date of analysis : 21/03/21

Mfd. : March 2021

Product code : 14128

Batch No : MCR-23072

Exp. : Feb. 2026

S.R	Test	Specification	Observation
1	Description	Cream to light brown coloured powder and almost odorless hygroscopic.	Cream coloured powder. almost odorless hygroscopic.
2	Amylase activity	1:2000 min.	> 1: 2000
3	pH	5.5 - 6.0	5.63
4	Loss on drying (105⁰C)	5 % max	4.30 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**