



CERTIFICATE OF ANALYSIS

Date : 29/04/14

PRODUCT NAME : MOLYCLEAN MA 03 PHOSPHATE FREE

Product code : 16384

Batch No : MCR-8095

Mfd. : April 2014

S. R	Test	Specification	Observation
1	Density(d20 ⁰ /4 ⁰)	1.058-1.066	1.060
2	Free Alkali (as NaoH)	1.5 - 2.5%	1.73
3	Phosphate(PO ₄)	NMT 0.002%	< 0.002%
4	Nitrilotriacetic acid trisodium salt	6.5 - 8.5%	6.7%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503