



CERTIFICATE OF ANALYSIS

**PRODUCT NAME : CELLULOSE POWDER
FOR COLUMN CHROMATOGRAPHY**

CAS No	: 9013-34-7	Product code	: 13520
Mol. Formula	: (C₆H₁₀O₅)_n	Batch No	: MCR-23195
Date of analysis	: 15/04/21	Mfd.	: April 2021
Exp.	: March 2026		

S. R	Test	Specification	Observation
1	Description	White to almost white powder.	Almost white powder.
2	Assay	97.0 – 102.0%	98.34%
3	pH of 10% suspension (in carbon dioxide free water)	5.0 – 7.5	6.16
4	Loss on drying at 105°C	7% max	2.6 %
5	Residue on ignition	0.3% max	0.15%
6	Water Soluble substances	1.5%	0.33%
7	Starch	Passes test	Passes test
8	Copper (Cu)	0.001% max	<0.001%
9	Iron (Fe)	0.002% max	<0.002%
10	Lead (Pb)	0.001% max	<0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**