



CERTIFICATE OF ANALYSIS

PRODUCT NAME : DICHLOROMETHANE LR
(Methylene Chloride)

CAS No	: 75-09-2	Product code	: 14138
Mol. Formula	: CH₂Cl₂	Batch No	: MCR-23225
Mol. WT	: 84.93	Mfd.	: April 2021
Date of analysis	: 22/04/21	Exp.	: March 2026

S. R	Test	Specification	Observation
1	Description	A clear, colourless liquid, with characteristic odor, APHA not greater than 10 HU	A clear, colourless liquid, with characteristic odor, APHA less than 10 HU
2	Assay (GC)	98 % min.	99.98%
3	Wt. per ml (at 20⁰c)	1.323-1.327 g	1.324g
4	Refractive index (n²⁰_D)	1.4235-1.4250	1.4238
5	Water	0.1% max.	0.009%
6	Non Volatile Matter	0.005% max.	0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503