



CERTIFICATE OF ANALYSIS

PRODUCT NAME : TURK'S SOLUTION

Product code : 32222
Exp. : April 2024
Date of analysis: 18/05/21

Mfd. : May 2021
Batch No : MCM-4058

S. R	Test	Specification	Observation
1	pH value	2.5 - 3.5	2.8
2	Absorption maxima	582 - 586nm	583nm
3	Absorbance A ($\lambda_{\max}$; diluted 1:50, 1cm)	0.450 - 0.600	0.591
4	Suitability for microscopy	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503