



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : CALCIUM CHLORIDE (FUSED)**

**CAS No : 10043-52-4**

**Mol. Formula : CaCl<sub>2</sub>**

**Mol. WT : 110.99**

**Date of analysis : 01/06/21**

**Product code : 13200**

**Batch No : MCR-23490**

**Mfd. : June 2021**

**Exp. : May 2026**

S.R	Test	Specification	Observation
1	<b>Description</b>	White deliquescent lumps	White deliquescent lumps
2	<b>Minimum Assay (ex Cl) (on dry basis)</b>	98% w/w	98.80% w/w
3	<b>Heavy metals (as Pb)</b>	0.002 %max	<0.002 %
4	<b>Loss on drying at 200°C</b>	10 % max	2.63%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No.B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**