



CERTIFICATE OF ANALYSIS

PRODUCT NAME : PHLOROGLUCINOL AR

CAS No	: 108- 73- 6	Product code	: 53600
Mol. Formula	: C₆H₆O₃	Batch No	: MCR-12689-02
Mol. WT	: 126.11	Mfd.	: June 2021
Date of analysis	: 29/06/21	Exp.	: May 2026

S. R	Test	Specification	Observation
1	Description	White to almost white or yellowish white or cream or beige powder.	Beige powder.
2	Assay (Dried basis)	99 % w/w min	99.16% w/w
3	Melting Point	215-220°C	215.8°C
4	Diresorcine	passes test	passes test
5	Sulphated ash	0.1% max	0.07%
6	Loss on drying	1.0% max	0.60%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**