



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM SELENATE AR ANHYDROUS

CAS No : 13410- 01- 0

Product code : 26080

Mol. Formula : Na₂SeO₄

Batch No. : MCR-23650

Mol. WT : 189.09

Mfd. : July 2021

Date of analysis : 01/07/21

Exp. : June 2026

S. R	Test	Specification	Observation
1	Description	White to off white powder	White powder
2	Assay	99.0% w/w min	99.46% w/w
3	pH (5% Solution)	6.0 - 8.5	7.98
4	Water - insoluble matter	0.003% max	0.002%
5	Chloride (Cl)	0.0005% max	< 0.0005%
6	Nitrogen compounds(N)	0.001% max	<0.001%
7	Selenite (SeO ₃)	1% max	< 1%
8	Sulphate (SO ₄)	0.02% max	< 0.02%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**