



CERTIFICATE OF ANALYSIS

PRODUCT NAME : WATER DISTILLED

CAS No	: 7732- 18- 5	Product code	: 32229
Mol. Formula	: H₂O	Batch No	: MCM-4220
Mol. WT	: 18	Mfd.	: July 2021
Date of analysis	: 19/07/21	Exp.	: June 2024

S. R	Test	Specification	Observation
1	Description	Clear colourless liquid	Clear colourless liquid
2	pH	5.5 – 7.5	6.90
3	Density	About 1.000	1.000
4	Chloride (Cl)	0.0001% max.	< 0.0001%
5	Substance reducing KMnO₄	0.00004% max.	< 0.00004%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**