



CERTIFICATE OF ANALYSIS

Date: 18/06/14

PRODUCT NAME : YEAST EXTRACT POWDER FOR BACTERIOLOGY

CAS No : 8013- 01- 2
Batch No : MCR-8313

Product code : 19900
Mfd. : June 2014

S. R	Test	Specification	Observation
1	Nitrogen content (on dry basis)	10% min	10.14%
2	pH 1%w/v aqueous solution	4.5 min	5.38
3	Sulphated ash	15% max	10.6%
4	Chloride (as NaCl)	15% max	<15%
5	Loss on drying at 105°C	5% max	3.01%
6	Coagulated protein	Passes test	Passes test
7	Suitability for Bact. Test	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503