



CERTIFICATE OF ANALYSIS

Date : 05/06/14

PRODUCT NAME : CHLOROPHENOL RED INDICATOR GR

CAS No : 4430- 20- 0
Mol. Formula : $C_{19}H_{12}Cl_2O_5S$
Mol. WT : 423.27

Product code : 31450
Batch No : MCR-8261
Mfd. : June 2014

S. R	Test	Specification	Observation
1	Transition range pH 4.8 - 6.4	Brownish yellow to Red-violet	Brownish yellow to Red-violet
2	Specific Absorptivity 1%,1cm, 0.1N NaOH at 572-576 nm	1000 min	1035.56
3	Loss on drying (110 ⁰ C)	8% max	6.10%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503