



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : XYLENE RECTIFIED (SULPHUR FREE)**

**CAS No : 1330-20-7**

**Product code : 19860**

**Mol. Formula : C<sub>8</sub>H<sub>10</sub>**

**Batch No. : MCR-24447**

**Mol. WT : 106.17**

**Mfd. : Nov. 2021**

**Date of analysis : 07/11/21**

**Exp. : Oct. 2026**

S. R	Test	Specification	Observation
1	Description	A clear colourless liquid.	A clear colourless liquid.
2	Assay (by G.C.)	97% min	98.63%
3	Solution in alcohol	Clear	Clear
4	Refractive index[n] <sup>20</sup> <sub>D</sub>	1.4950-1.4970	1.4960
5	Wt. per ml at 20 <sup>0</sup> C	0.859-0.865 g	0.864g
6	Non volatile matter	0.01% max	0.0007%
7	Sulfur compounds	Not detected	Not detected

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**