



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : LEISHMAN'S STAIN**

**CAS No : 12627- 53- 1**  
**Date Analysis : 29/11/21**  
**Mfd. : Nov. 2021**

**Product code : 31860**  
**Batch No : MCR-24567**  
**Exp. : Oct. 2026**

S. R	Test	Specification	Observation
1	<b>Description</b>	Dark green or blackish green powder.	Dark green powder.
2	<b>Specific Absorptivity A1% / 1 cm <math>\lambda_{max}</math> at 522 to 525 nm in methanol (on dry basis)</b>	min. 650	706.08
3	<b>Specific Absorptivity A 1%/1cm <math>\lambda_{max}</math> at 640 to 648 nm in methanol (on dry basis)</b>	min. 900	953.09
4	<b>Suitability for use as stain</b>	Passes test	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**