



## CERTIFICATE OF ANALYSIS

Date: 27/07/14

PRODUCT NAME : LEISHMAN'S STAIN FOR MICROSCOPY

CAS No : 12627- 53- 1  
Mfd. : July 2014

Product code : 31860  
Batch No : MCR-8378

S. R	Test	Specification	Observation
1	Specific Absorptivity A <sub>1%</sub> / 1 cm $\lambda_{\text{max}}$ at 522 to 525 nm in methanol (on dry basis)	min. 650	736
2	Specific Absorptivity A 1%/1cm $\lambda_{\text{max}}$ at 640 to 648 nm in methanol (on dry basis)	min. 900	1040
3	Suitability for use as stain	Passes test	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503