



## **CERTIFICATE OF ANALYSIS**

**PRODUCT NAME : FEHLING'S SOLUTION NO. 2**

**Date of analysis : 02/01/22**  
**Mfd. : Jan. 2022**  
**Exp. : Dec. 2024**

**Product code : 14380**  
**Batch No : MCM-4489**

| <b>S. R</b> | <b>Test</b>            | <b>Specification</b>      | <b>Observation</b>        |
|-------------|------------------------|---------------------------|---------------------------|
| 1           | <b>Description</b>     | Clear colourless solution | Clear colourless solution |
| 2           | <b>Assay (as NaOH)</b> | 15.2 – 15.6%w/v           | 15.5%w/v                  |
| 3           | <b>Sensitivity</b>     | Passes test               | Passes test               |

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**