



CERTIFICATE OF ANALYSIS

PRODUCT NAME : TRICHLOROETHYLENE LR 99%

CAS No	: 79-01-6	Product code	: 19605
Mol. Formula	: CHCl:CCl₂	Batch No.	: MCR-24817
Mol. WT	: 131.39	Mfd.	: Jan. 2022
Date of Analysis	: 10/01/22	Exp.	: Dec. 2026

S. R	Test	Specification	Observation
1	Description	A clear colourless liquid.	A clear colourless liquid.
2	Assay (GC)	99 % min	99.69%
3	Wt. per ml (at 20^oc)	1.462-1.466g	1.464g
4	Acidity	0.2 ml N/1% max	< 0.2 ml N/1%
5	Non volatile matter	0.004% max	0.0006%
6	Free chlorine(Cl)	0.001% max	< 0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**