



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SILICA GEL 60-120 MESH

CAS No : 112926 -00-8

Date of Analysis : 13/02/22

Mfd. : Feb. 2022

Product code : 17860

Batch No : MCR-25062

Exp. : Jan. 2027

S. R	Test	Specification	Observation
1	Description	White powder	White powder
2	pH(10% aq. Slurry)	About 7	7
3	Percolation time	2 minutes. min	3.0 minutes
4	Suitability(Brockman grade)	Should be min. grade II	grade II

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**