



## **CERTIFICATE OF ANALYSIS**

**PRODUCT NAME : SODIUM HYPOCHLORITE SOLUTION**

**CAS No : 7681-52-9**  
**Mol. Formula : NaClO**  
**Mol. WT : 74.4**  
**Date Analysis : 14/02/22**

**Product code : 32190**  
**Batch No. : MCR-25071**  
**Mfd. : Feb. 2022**  
**Exp. : Jan. 2023**

<b>S. R</b>	<b>Test</b>	<b>Specification</b>	<b>Observation</b>
1	<b>Description</b>	Clear pale yellow liquid with distinct smell of chlorine.	Clear pale yellow liquid with distinct smell of chlorine.
2	<b>Available chlorine</b>	Approximately 4 – 6%	5.94%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[Q.C Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**