



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLORAMINE T AR 99%

CAS No : 7080-50-4

Mol. Formula : C₇H₇ClNNaO₂ S.3H₂O

Mol. WT : 281.69

Date of analysis : 28/04/22

Product code : 22600

Batch No. : MCRT-25546

Mfd. : April 2022

Exp. : March 2027

S. R	Test	Specification	Observation
1	Description	White to off white powder or crystalline powder.	White powder.
1	Assay	99% min	99.92%
2	pH (5% aq.solution)	8 - 10	9.54
3	Substances insoluble in absolute ethanol	1.5% max	1.2%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**