CERTIFICATE OF ANALYSIS

PRODUCT NAME : TRICHLOROETHYLENE LR 99%

CAS No	**: 79-01-6**	**Product code**	**: 19605**
Mol. Formula	**: $CHCl:CCl_2$**	**Batch No.**	**: MCR-25624**
Mol. WT	**: 131.39**	**Mfd.**	**: May 2022**
Date of Analysis	**: 09/05/22**	**Exp.**	**: April 2027**

S. R	Test	Specification	Observation
1	**Description**	A clear colourless liquid.	A clear colourless liquid.
2	**Assay (GC)**	99 % min	99.64%
3	**Wt. per ml (at 20^0c)**	1.462-1.466g	1.463g
4	**Acidity**	0.2 ml N/1% max	< 0.2 ml N/1%
5	**Non volatile matter**	0.004% max	0.0006%
6	**Free chlorine(Cl)**	0.001% max	< 0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By] **[Q.C Incharge]**

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503