CERTIFICATE OF ANALYSIS

PRODUCT NAME : PHLOROGLUCINOL AR

CAS No	**: 108- 73- 6**	**Product code**	**: 53600**
Mol. Formula	**: $C_6H_6O_3$**	**Batch No**	**: MCR-25596**
Mol. WT	**: 126.11**	**Mfd.**	**: May 2022**
Date of analysis	**: 07/05/22**	**Exp.**	**: April 2027**

S. R	Test	Specification	Observation
1	**Description**	White to almost white or yellowish white or cream or beigh colour powder.	Cream colour powder.
2	**Assay (Dried basis)**	99 % w/w min	99.96% w/w
3	**Melting Point**	215-220°C	217.6°C
4	**Diresorcine**	passes test	passes test
5	**Sulphated ash**	0.1% max	0.04%
6	**Loss on drying**	1.0% max	0.16%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By] **[Q.C Incharge]**

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503