



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM SELENATE AR ANHYDROUS

CAS No : 13410-01-0 **Product code : 26080**
Mol. Formula : Na₂SeO₄ **Batch No : MCR-25652**
Mol. WT : 189.09 **Mfd. : May 2022**
Date of analysis : 19/05/22 **Exp. : April 2027**

S. R	Test	Specification	Observation
1	Description	White to off white powder	Off-white powder
2	Assay	99.0% w/w min	99.46% w/w
3	pH (5% Solution)	6.0 - 8.5	8.31
4	Water - insoluble matter	0.003% max	0.001%
5	Chloride (Cl)	0.0005% max	< 0.0005%
6	Selenite (SeO₃)	1.0% max	< 1.0%
7	Sulphate (SO₄)	0.02% max	< 0.02%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503