



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CONGO RED INDICATOR FOR MICROSCOPY

CAS No	: 573-58-0	Product code	: 31440
Mol. Formula	: C₃₂H₂₂N₆Na₂O₆S₂	Batch No	: MCR-25980
Mol. wt	: 696.65	Mfd.	: July 2022
Date of analysis	: 04/07/22	Exp.	: June 2026

S.R	Test	Specification	Observation
1	Description	Reddish brown or dark red or dark brown powder.	Dark red powder.
2	Transition interval from pH 3.0 – 5.2	Violet to orange red	Violet to orange red
3	Specific Absorptivity A 1%/1cm λ_{max} at 563-568 nm in buffer pH 3.0(0.001%)	NLT 150	153.85
4	Specific Absorptivity A 1%/1cm λ_{max} at 484-489 nm in buffer pH 5.2 (0.001%)	NLT 200	203.65
5	Loss on drying at 105° C	5% max.	1.12%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**