



## **CERTIFICATE OF ANALYSIS**

**PRODUCT NAME : E.D.T.A. DISODIUM SALT N/50 SOLUTION**

**Date of Analysis : 09/07/22**  
**Mfd. : July 2022**  
**Exp. : June 2025**

**Product code : 14342**  
**Batch No. : MCM-4843**

| S. R | Test        | Specification              | Observation                |
|------|-------------|----------------------------|----------------------------|
| 1    | Description | Clear colourless solution. | Clear colourless solution. |
| 2    | Normality   | 0.02N $\pm$ 0.0002         | 0.0201N                    |

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[Q.C Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**