



CERTIFICATE OF ANALYSIS

Date: 06/09/14

PRODUCT NAME : CHLOROFORM GR

CAS No : 67-66-3
Mol. Formula : CHCl_3
Mol. WT : 119.38

Product code : 22620
Batch No : MCRT-8612
Mfd. : Sept. 2014

S. R	Test	Specification	Observation
1	Assay (GC)	99.8 % min	99.92%
2	Wt.per ml (at20⁰c)	1.474-1.479g	1.476g
3	Refractive index	1.444 – 1.445	1.445
4	Water	0.05% max	0.016%
5	Acidity (HCl)	0.0005% max	< 0.0005%
6	Non Volatile Matter	0.0005% max	0.0004%
7	Ionized chloride(Cl)	0.00002% max	<0.00002%
8	Free chlorine(Cl)	0.0005% max	< 0.0005%
9	Metallic impurities	No reaction	No reaction
10	Aldehydes & Ketones(CH_3CHO)	0.005% max	< 0.005%
11	Organic impurities	Passes Test	Passes Test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503