



## **CERTIFICATE OF ANALYSIS**

**Date: 06/09/14**

**PRODUCT NAME : CHLOROFORM GR**

**CAS No : 67-66-3**  
**Mol. Formula :  $\text{CHCl}_3$**   
**Mol. WT : 119.38**

**Product code : 22620**  
**Batch No : MCRT-8624**  
**Mfd. : Sept. 2014**

| S. R | Test                                           | Specification | Observation |
|------|------------------------------------------------|---------------|-------------|
| 1    | Assay (GC)                                     | 99.8 % min    | 99.93%      |
| 2    | Wt.per ml (at20 <sup>0</sup> c)                | 1.474-1.479g  | 1.474g      |
| 3    | Refractive index                               | 1.444 – 1.445 | 1.445       |
| 4    | Water                                          | 0.05% max     | 0.014%      |
| 5    | Acidity (HCl)                                  | 0.0005% max   | < 0.0005%   |
| 6    | Non Volatile Matter                            | 0.0005% max   | 0.0004%     |
| 7    | Ionized chloride(Cl)                           | 0.00002% max  | <0.00002%   |
| 8    | Free chlorine(Cl)                              | 0.0005% max   | < 0.0005%   |
| 9    | Metallic impurities                            | No reaction   | No reaction |
| 10   | Aldehydes & Ketones( $\text{CH}_3\text{CHO}$ ) | 0.005% max    | < 0.005%    |
| 11   | Organic impurities                             | Passes Test   | Passes Test |

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**