



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : DICHLOROMETHANE LR**  
(Methylene Chloride)

**CAS No : 75-09-2**  
**Mol. Formula : CH<sub>2</sub>Cl<sub>2</sub>**  
**Mol. WT : 84.93**  
**Date of analysis : 15/10/22**

**Product code : 14138**  
**Batch No. : MCR-26753**  
**Mfd. : Oct. 2022**  
**Exp. : Sept. 2027**

S. R	Test	Specification	Observation
1	<b>Description</b>	A clear, colourless liquid, with characteristic odor, APHA not greater than 10 HU	A clear, colourless liquid, with characteristic odor, APHA less than 10 HU
2	<b>Assay (GC)</b>	98 % min.	99.93%
3	<b>Wt. per ml (at 20<sup>o</sup>c)</b>	1.323-1.327 g	1.326g
4	<b>Refractive index (n<sup>20</sup> D)</b>	1.4235-1.4250	1.4240
5	<b>Water</b>	0.1% max.	0.007%
6	<b>Non Volatile Matter</b>	0.005% max.	0.0003%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**CHEMIST**  
**(Priti)**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**