



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM SILICATE SOLUTION

CAS No : 1344- 09- 8

Date of analysis : 06/11/22

Mfd. : Nov. 2022

Product code : 18781

Batch No : MCR-26910

Exp. : Oct. 2027

S. R	Test	Specification	Observation
1	Description	Almost colourless, slightly opaque viscous, tacky liquid..	Almost colourless, slightly opaque viscous, tacky liquid..
2	Assay (as Na₂O)	7.5 – 10%	9.32%
3	Assay (as SiO₂)	25 – 28%	27.96%
4	Wt. per ml at 20⁰C	1.296 – 1.396g	1.386 g

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

**CHEMIST
(Priyanka)**

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**