



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : KARL FISCHER REAGENT PYRIDINE FREE**

**Date of analysis : 29/11/22**  
**Mfd. : Nov. 2022**  
**Exp. : Oct. 2025**

**Product code : 31850**  
**Batch No. : MCM-5163**

S.R	Test	Specification	Observation
1	<b>Description</b>	Dark reddish brown solution.	Dark reddish brown solution.
2	<b>Effective Factor</b>	NLT 5 mg H <sub>2</sub> O/ml	6.63 mg H <sub>2</sub> O/ml
3	<b>Dilution test ( 5ml subst. + 5 ml water)</b>	The solution is clear and yellow coloured	The solution is clear and yellow coloured
4	<b>Dilution test ( 5ml subst. + 20 ml water)</b>	The solution is clear and yellow coloured	The solution is clear and yellow coloured

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST**  
**(Sonu)**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**