



CERTIFICATE OF ANALYSIS

PRODUCT NAME : MOLYCLEAN MA 03 PHOSPHATE FREE

Date of analysis : 04/12/22
Mfd. : Dec. 2022
Exp. : Nov. 2027

Product code : 16384
Batch No. : MCR-27096

S. R	Test	Specification	Observation
1	Description	A Clear colourless to slightly opale solution	A Clear colourless to slightly opale solution
2	Density(d20⁰/4⁰)	1.058-1.066g	1.066g
3	Free Alkali (as NaOH)	1.5 - 2.5%	2.23%
4	Phosphate(PO₄)	NMT 0.002%	<0.002%
5	Nitrilotriacetic acid trisodium salt	6.5 - 8.5%	7.83%
6	pH (1% w/v aq.solution)	about 11	11.30

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

CHEMIST
(Jyoti)

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503