



CERTIFICATE OF ANALYSIS

PRODUCT NAME : MILLON'S REAGENT

Date of analysis : 13/12/22
Mfd. : Dec. 2022
Exp. : Nov. 2025

Product code : 31995
Batch No : MCM-5215

S. R	Test	Specification	Observation
1	Description	A clear Colourless or pale greenish yellow to pale yellow solution	Clear pale yellow solution
2	Wt.per ml (at R.T)	About 1.2g	1.2g
3	Identity	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

**CHEMIST
(Sonu)**

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**