



CERTIFICATE OF ANALYSIS

PRODUCT NAME : MOLYCLEAN MA 02 NEUTRAL

Date of analysis : 25/12/22
Mfd. : Dec. 2022
Exp. : Nov. 2027

Product code : 16383
Batch No : MCR-27319

S. R	Test	Specification	Observation
1	Description	A clear colourless to pale yellow or opale solution	A pale yellow opale solution
2	pH of 5%w/v aq.solution	6 - 8	6.25
3	Wt. per ml at 20°C	1.03 - 1.07 g	1.060g
4	Foaming volume (5%w/v water)	min 80 ml	85 ml

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

**CHEMIST
(Sonu)**

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**