



## **CERTIFICATE OF ANALYSIS**

**PRODUCT NAME : E.D.T.A. DISODIUM SALT N/50 SOLUTION**

**Date of Analysis : 07/02/23**  
**Mfd. : Feb. 2023**  
**Exp. : Jan. 2026**

**Product code : 14342**  
**Batch No. : MCM-5357**

<b>S. R</b>	<b>Test</b>	<b>Specification</b>	<b>Observation</b>
1	<b>Description</b>	Clear colourless solution.	Clear colourless solution.
2	<b>Normality</b>	0.02N $\pm$ 0.0002	0.0202N

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**CHEMIST  
(Sonu)**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**