



## **CERTIFICATE OF ANALYSIS**

Date: 07/11/15

**PRODUCT NAME : FLORISIL® 60 – 100 MESH FOR COLUMN CHROMATOGRAPHY**

CAS No : 1343-88-0  
Mfd. : Nov. 2015  
Exp. : Oct. 2020

Product code : 52380  
Batch No : MCR-10633

S.R	Test	Specification	Observation
1	pH (5% slurry in water)	9 - 11	10.31
2	Particle size (60 – 100 mesh)	90% min.	95.94%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**