



## **CERTIFICATE OF ANALYSIS**

**Date: 11/10/15**

**PRODUCT NAME : PEPTONE BACTERIOLOGICAL**

**CAS No : 91079- 38-8**  
**Mfd. : Oct. 2015**  
**Exp. : Sept. 2018**

**Product code : 16740**  
**Batch No : MCR- 10473**

<b>S. R</b>	<b>Test</b>	<b>Specification</b>	<b>Observation</b>
1	<b>Nitrogen content (on dry basis)</b>	14.2 – 15.5%	14.31%
2	<b>Degree of digestion</b>	Passes test	Passes test
3	<b>Loss on drying at 100° C</b>	5% max	2.60%
4	<b>Sulphated ash</b>	5% max	4.1%
5	<b>Microbial content</b>	Passes test	Passes test
6	<b>Bacteriological Test</b>	Passes test	Passes test
7	<b>Indole Test</b>	Passes test	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**