



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : WATER DISTILLED**

**CAS No : 7732- 18- 5**

**Mol. Formula : H<sub>2</sub>O**

**Mol. WT : 18**

**Date of analysis : 04/03/23**

**Product code : 32229**

**Batch No : MCM-5411**

**Mfd. : March 2023**

**Exp. : Feb. 2026**

S. R	Test	Specification	Observation
1	<b>Description</b>	Clear colourless liquid	Clear colourless liquid
2	<b>pH</b>	5.5 – 7	6.50
3	<b>Density</b>	About 1.000	1.000
4	<b>Chloride (Cl)</b>	0.0001% max.	< 0.0001%
5	<b>Substance reducing KMnO<sub>4</sub></b>	0.00004% max.	< 0.00004%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST  
(Sonu)**

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**